



Attending the quality «overall»

INTEGRATED SOLUTIONS for the connection of Solar Systems



Brass Solar Fittings for • INOX • PEX • COPPER



www.brassform.gr



SOLAR SYSTEMS CONNECTORS (SolTrust)

2162 Copper Ø22 - Inox DN16 - Copper Ø22



CODE	DIAMETER	€	
2162	Ø22 - DN16 - Ø22		10

2232 Copper Ø22 - Pex Ø22x3 - Copper Ø22



CODE	DIAMETER	€	
2232	Ø22 - Ø22x3 - Ø22		10

2200 Blind Cap for Copper Ø22



CODE	DIAMETER	€	
2200	Ø22		10

2222 Union for Copper Ø22



CODE	DIAMETER	€	
2222	Ø22 x Ø22		10

2216 Copper Ø22 - Inox DN16



CODE	DIAMETER	€	
2216	Ø22 - DN 16		10

3416 3/4" Female - Inox DN 16



CODE	DIAMETER	€	
3416	3/4" Female - DN 16		10

2223 Pex Ø22x3 - Copper Ø22



CODE	DIAMETER	€	
2216	Ø22x3 - Ø22		10

3422 3/4" Female - Copper Ø22



CODE	DIAMETER	€	
3422	3/4" Female - Ø22		10

2002 Copper Ø22 - Copper Ø22



CODE	DIAMETER	€	
2002	Ø22 - Ø22		10

1634 3/4" Male - Inox DN16



CODE	DIAMETER	€	
1634	3/4" Male - Inox DN16		10



SOLAR SYSTEMS CONNECTORS (SolTrust)

4361 3/4" Female - Inox DN16



CODE	DIAMETER	€	☐
4361	3/4" Female - DN16		10

3020

3/4" Female - Pex Ø22x3




3010

3/4" Male Pex Ø22x3

CODE	DIAMETER	€	☐
3020	3/4" Female - Ø22x3		10
3010	3/4" Male - Ø22x3		10

2234

3/4" Female - Copper Ø22



2243

3/4" Male - Copper Ø22

CODE	DIAMETER	€	☐
2234	3/4" Female - Ø22		10
2243	3/4" Male - Ø22		10

INOX PRESS SYSTEM

PATENTED

EUROTIS



Smarter

CONNECTION

- QUICK & SECURE CONNECTIONS
- COVERING ALL APPLICATIONS
- SOLAR SYSTEMS - HEATING & COOLING
- WATER SUPPLY



www.brassform.gr

360

Stern



DIAMETER	€	☐
Ø 22		1000