

## Declaration of Conformity

(In accordance with EN ISO 17050-1:2004)

Number - Revision  
Date  
Company details

#002 - 2  
April 2016  
Brass Form S.A.  
Manufacturer of Brass Fittings  
196 00, Xiro Pigadi  
Mandra Attikis, Greece

**Brass Form S.A.**, manufacturer of components for heating and plumbing systems herewith declares that the product series

### WALL MOUNT BENT CONNECTIONS

With the following product IDs

**Wall Mount Bent Connection 24x19 – 8240**

**Wall Mount Bent Connection 24x19 with Plummet Base – 824**

**Wall Mount Bent Connection Press form fittings with Plummet Base – 816, 818, 820**

**Wall Mount Bent Connection Press form fittings – 333**

**Wall Mount Bent Connection for Pex pipes – 8260, 8460, 8280**

**Wall Mount Bent Connection for Pex pipes with Plummet Base – 826, 846, 828**

**Wall mount Bent Connection for Al-Pex pipes – 8360, 8380**

**Wall mount Bent Connection for Al-Pex pipes with Plummet Base – 836, 838**

**Wall mount Bent Connection for Copper pipe connection with Plummet Base – 805**

**Wall mount Bent Connection for Copper pipe connection – 8015**

Are properly designed, manufactured and tested under industry's production standards using materials suitable for water distribution and conform to the following technical specifications.

- **Raw Material:** *Hot forged brass according to EN 12165 (CW617N) and brass rod according to EN 12164 (CW614N)*
- **Coating:** *Nickel and chromium plated*
- **Threads:** *according to ISO 228*

The Quality Control System of **BRASS FORM S.A.** is certified in accordance of TUV NORD and complies with the requirements of the standard **EN ISO 9001:2008**. All referring valves are tested according to **EN 12266 – 1: 2012**. Technical information, reports and technical support of the product codes above is always available for customers upon request.

On behalf of

R&D Department

*(Signature available upon request)*